

#### SAFETY DATA SHEET

# B3 Trægrunder, Olie

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**▼**Trade name

B3 Trægrunder, Olie

▼ Product no.

500

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Industrial purposes

**▼** Uses advised against

Træbeskyttelse Industri

# 1.3. Details of the supplier of the safety data sheet

# Company and address

# Beck & Jørgensen A/S

Rosenkaeret 25-29

DK-2860 Søborg

Denmark

Tel: +45 39 53 03 11

# Contact person

Mikael Jensen

# **▼** E-mail

miljo@bj.dk

# Revision

29/07/2024

# **SDS Version**

2.0

# Date of previous version

14/02/2024 (1.0)

# 1.4. Emergency telephone number

Contact the poison hotline: +45 82 12 12 12 (24 hour service)

See section 4 "First aid measures".

### SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

Aquatic Chronic 3; H412, Harmful to aquatic life with long lasting effects.

### 2.2. Label elements

# Hazard pictogram(s)

Not applicable.

# Signal word

Not applicable.

### Hazard statement(s)

Harmful to aquatic life with long lasting effects. (H412)

# Precautionary statement(s)

# **▼** General

Keep out of reach of children. (P102)

#### **▼** Prevention

Wear protective gloves/protective clothing/eye protection/face protection. (P280) Avoid release to the environment. (P273)



### Response

-

# Storage

### Disposal

Dispose of contents/container in accordance with local regulation (P501)

#### Hazardous substances

None known.

#### Additional labelling

EUH066, Repeated exposure may cause skin dryness or cracking.

EUH208, Contains 3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate . May produce an allergic reaction.

This paint contains a biocidal product for the preservation of the dry film.

#### VOC

VOC content: 562 g/L

MAXIMUM VOC CONTENT (Phase II, category A/f (SB): 700 g/L)

#### 2.3. Other hazards

# Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

# SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable. This product is a mixture.

#### 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	CAS No.: EC No.: 918-481-9 REACH: 01-2119457273-39-XXXX Index No.:	60-80%	EUH066 Asp. Tox. 1, H304	
3-iodo-2-propynyl CAS No.: 55406-53-6 butylcarbamate 3-iodoprop-2- EC No.: 259-627-5 yn-1-yl butylcarbamate REACH: Index No.: 616-212-00-7		<1%	Acute Tox. 4, H302 (ATE: 1056.00 mg/kg) Skin Sens. 1, H317 Eye Dam. 1, H318 Acute Tox. 3, H331 STOT RE 1, H372 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

-

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation



Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### Skin contact

IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

#### Eye contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

#### Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

#### **Burns**

Not applicable.

#### 4.2. Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact. Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### Information to medics

Bring this safety data sheet or the label from this product.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

# 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the chemical emergency services on 72 85 20 00 (24 h service) in order to obtain further advice.

# SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Contaminated areas may be slippery.

#### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

### 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

It is recommended to install waste collection trays in order to prevent emissions to the waste water system and surrounding environment.



Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

# 7.2. ▼ Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

# Recommended storage material

Always store in containers of the same material as the original container.

#### **▼** Fire class

In accordance with the statutory order on flammable liquids the product is classified as a liquid of class III, subclass 1 (1 storage unit = 50 liter).

### Storage conditions

No specific requirements

# ▼Incompatible materials

Strong oxidizing agents

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

#### **DNEL**

No data available.

#### **PNEC**

3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate

Route of exposure:	Duration of Exposure:	PNEC:
Soil	Single	0,005 mg/l
Water	Single	0,0005 mg/l

# 8.2. Exposure controls

Apply general control to prevent unnecessary exposure

#### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

#### Exposure scenarios

There are no exposure scenarios implemented for this product.

#### **Exposure limits**

Occupational exposure limits have not been defined for the substances in this product.

### Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of vapours.

### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

# Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

# Individual protection measures, such as personal protective equipment

# **▼** Generally

No specific requirements

# **▼** Respiratory Equipment

No specific requirements

# **▼**Skin protection

No specific requirements.

# **▼** Hand protection

No specific requirements.

# Eye protection

No specific requirements.

#### SECTION 9: Physical and chemical properties



# 9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Various colours

Odour / Odour threshold

Solvent

рΗ

Testing not relevant or not possible due to the nature of the product.

Density (g/cm³)

0.87

▼ Kinematic viscosity

 $> 20,5 \text{ mm}^2/\text{s} (40 °C)$ 

Particle characteristics

Does not apply to liquids.

Phase changes

Melting point/Freezing point (°C)

Testing not relevant or not possible due to the nature of the product.

Softening point/range (°C)

Does not apply to liquids.

Boiling point (°C)

Testing not relevant or not possible due to the nature of the product.

Vapour pressure

Testing not relevant or not possible due to the nature of the product.

Relative vapour density

Testing not relevant or not possible due to the nature of the product.

Decomposition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

Data on fire and explosion hazards

Flash point (°C)

63

Flammability (°C)

Testing not relevant or not possible due to the nature of the product.

Auto-ignition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

Lower and upper explosion limit (% v/v)

0.6 - 7

Solubility

▼ Solubility in water

Slightly soluble

n-octanol/water coefficient (LogKow)

Testing not relevant or not possible due to the nature of the product.

Solubility in fat (g/L)

Testing not relevant or not possible due to the nature of the product.

9.2. Other information

VOC (g/L)

562

Other physical and chemical parameters

No data available.

Oxidizing properties

Testing not relevant or not possible due to the nature of the product.

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".



# 10.3. Possibility of hazardous reactions

None known.

#### 10.4. Conditions to avoid

Do not expose to any forms of heat (e.g. solar radiation). May lead to excess pressure.

### 10.5. ▼Incompatible materials

Strong oxidizing agents

#### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### ▼ Acute toxicity

Product/substance Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

Species: Rat
Route of exposure: Oral
Test: LD50
Result: 5000 mg/Kg ·

Product/substance Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

Species: Rat
Route of exposure: Dermal
Test: LD50
Result: 2000 mg/Kg

Product/substance Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

Species: Rat
Route of exposure: Inhalation
Test: LC50
Result: 5000 mg/Kg ·

Product/substance Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

Species: Rabbit
Route of exposure: Dermal
Test: LD50
Result: 5000 mg/Kg ·

### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

# Serious eye damage/irritation

Based on available data, the classification criteria are not met.

### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Skin sensitisation

This product contains substances that may trigger an allergic reaction in already sensitized persons.

# Germ cell mutagenicity

Based on available data, the classification criteria are not met.

# Carcinogenicity

Based on available data, the classification criteria are not met.

# Reproductive toxicity

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

# 11.2. Information on other hazards

#### Long term effects

None known.

# **Endocrine disrupting properties**



This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

### Other information

None known.

### **SECTION 12: Ecological information**

12.1. Toxicity

Product/substance Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

Species: Fish
Duration: 96 hours
Test: -

Result: >1000 mg/l·

Product/substance Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

Species: Algae

Duration: No data available.

Test: -

Result: >1000 mg/l·

Product/substance Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

Species: Daphnia
Duration: 24 hours
Test: Result: >1000 mg/l·

Product/substance Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

Species: Fish
Duration: 96 hours
Test: LC50
Result: 1000 mg/l·

Product/substance 3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate

Species: Fish
Duration: 96 hours
Test: LC50
Result: 0,049 mg/l·

Product/substance 3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate

Species: Daphnia
Duration: 48 hours
Test: EC50
Result: 0,160 mg/l·

Product/substance 3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate

Species: Algae
Duration: 72 hours
Test: IC50
Result: 0,022 mg/l·

Product/substance 3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate

Species: Daphnia
Duration: 21 days
Test: NOEC
Result: 1,3 mg/l·

Product/substance 3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate

Species: Fish
Duration: 21 days
Test: NOEC
Result: 0,01 mg/l·

Product/substance 3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate



Species: Daphnia
Duration: 21 days
Test: EC50
Result: 0,05 mg/l·

Product/substance 3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate

Species: Fish
Duration: 35 d.
Test: NOEC
Result: 0,0084 mg/l·

Product/substance 3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate

Species: Algae
Duration: 72 hours
Test: NOEC
Result: 0,0046 mg/l·

Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

Product/substance Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

Conclusion: Readily biodegradable

Product/substance 3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate

Conclusion: Readily biodegradable

12.3. Bioaccumulative potential

Product/substance Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

BCF: 112 Conclusion: -

Product/substance 3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate

LogKow: 2,8100

Conclusion: No potential for bioaccumulation

# 12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

# 12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

# 12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste. (\*)

HP 14 - Ecotoxic

Dispose of contents/container to an approved waste disposal plant.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EWC code

08 01 11\* Waste paint and varnish containing organic solvents or other dangerous substances

# Specific labelling

Not applicable.

# Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

# **SECTION 14: Transport information**



	14.1 UN / I	14.2 D UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

<sup>\*</sup> Packing group

\*\* Environmental hazards

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

No special.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

Product registration number

4164775

#### **▼** Additional information

Not applicable.

#### **▼** Sources

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products.

Executive Order no. 1369 of 25 November 2015 on the marketing and labeling of volatile organic compounds in certain paints and varnishes as well as products for car repair painting.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

# 15.2. Chemical safety assessment

No

# SECTION 16: Other information

#### Full text of H-phrases as mentioned in section 3

EUH066, Repeated exposure may cause skin dryness or cracking.

H302, Harmful if swallowed.

H304, May be fatal if swallowed and enters airways.

H317, May cause an allergic skin reaction.

H318, Causes serious eye damage.

H331, Toxic if inhaled.

H372, Causes damage to organs through prolonged or repeated exposure.

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

### ▼ Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor



CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

GWP = Global warming potential

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of

1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

**UN = United Nations** 

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

### Additional information

The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

# The safety data sheet is validated by

MVP

# **▼** Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: DK-en