

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

SAFETY DATA SHEET

504-xxx B3 Beskyt Dit Træ Transperant

SECTION 1: Identification of the substance/mixture and of the company/undertaking

```
1.1. Product identifier
```

Trade name 504-xxx B3 Beskyt Dit Træ Transperant

- 1.2. Relevant identified uses of the substance or mixture and uses advised against
- Relevant identified uses of the substance or mixture Industrial purposes Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

Beck & Jørgensen A/S Rosenkaeret 25-29 DK-2860 Søborg Denmark Tel: +45 39 53 03 11 Contact person

Mikael Jensen

E-mail

mij@bj.dk Revision

14/02/2024

SDS Version

4.0

Date of previous version 13/02/2024 (3.0)

1.4. Emergency telephone number Contact the poison hotline: +45 82 12 12 12 (24 hour service) See section 4 "First aid measures".

SECTION 2: Hazards identification

```
2.1. Classification of the substance or mixture
Aquatic Chronic 3; H412, Harmful to aquatic life with long lasting effects.
2.2. Label elements
Hazard pictogram(s)
Not applicable.
Signal word
Not applicable.
Hazard statement(s)
Harmful to aquatic life with long lasting effects. (H412)
Precautionary statement(s)
General
-
Prevention
Avoid release to the environment. (P273)
Response
-
Storage
```



Disposal

Dispose of contents/container in accordance with local regulation (P501)

▼ Hazardous substances

None known.

Additional labelling

EUH066, Repeated exposure may cause skin dryness or cracking.

EUH208, Contains bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate, methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate, 3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate . May produce an allergic reaction.

This paint contains a biocidal product for the preservation of the dry film.

VOC

VOC content: 566 g/L

MAXIMUM VOC CONTENT (Phase II, category A/f (SB): 700 g/L)

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Hydrocarbons, C10-C13, n- alkanes, isoalkanes, cyclics, <2% aromatics	CAS No.: EC No.: 918-481-9 REACH: 01-2119457273-39-XXXX Index No.:	60-80%	EUH066 Asp. Tox. 1, H304	
3-iodo-2-propynyl butylcarbamate 3-iodoprop-2- yn-1-yl butylcarbamate	CAS No.: 55406-53-6 EC No.: 259-627-5 REACH: Index No.: 616-212-00-7	<1%	Acute Tox. 4, H302 (ATE: 1056.00 mg/kg) Skin Sens. 1, H317 Eye Dam. 1, H318 Acute Tox. 3, H331 STOT RE 1, H372 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	
bis(1,2,2,6,6-pentamethyl-4- Diperidyl) sebacate	CAS No.: 41556-26-7 EC No.: 255-437-1 REACH: Index No.:	<1%	Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	
methyl 1,2,2,6,6-pentamethyl- 4-piperidyl sebacate	CAS No.: 82919-37-7 EC No.: 280-060-4 REACH: Index No.:	<0.25%	Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

-

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact.

Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the chemical emergency services on 72 85 20 00 (24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.



6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

It is recommended to install waste collection trays in order to prevent emissions to the waste water system and surrounding environment.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Always store in containers of the same material as the original container.

Fire class

In accordance with the statutory order on flammable liquids the product is classified as a liquid of class III, subclass 2 (1 storage unit = 50 liter).

Storage temperature

No specific requirements

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

DNEL

No data available.

PNEC

3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate

Route of exposure:	Duration of Exposure:	PNEC:
Soil	Single	0,005 mg/l
Water	Single	0,0005 mg/l

8.2. Exposure controls

Apply general control to prevent unnecessary exposure

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment

Generally

In the event the work process is within scope of the Danish statutory order on work with code numbered products (Work Inspectorate Order no. 302/1993), then personal protection equipment shall be selected as set out herein. If applicable, please refer to the code number of this product in section 15. Use only CE marked protective equipment.



A	Class	Colour	Standards	
	Class 2 (medium capacity)	Brown	EN14387	E
▼ Skin protection				
Recommended	Type/Category	Standards		
Wear appropriate protection clothing, e.g. coveralls in polypropylene or working clothes in cotton or polyester.	-	-		
Hand protection				
Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	0.4	> 30	EN374-2, EN374-3, EN388	
Eye protection No specific requirem	ents.			
ECTION 9: Physical and c	hemical properties			
Colour Various colours Odour / Odour threshol Solvent	d			
pH Testing not relevant Density (g/cm ³) 0.87 Kinematic viscosity >20,5 mm ² /s	or not possible due to the	e nature of the product.		
pH Testing not relevant Density (g/cm ³) 0.87 Kinematic viscosity >20,5 mm ² /s Particle characteristics Does not apply to liq nase changes	uids.	e nature of the product.		
pH Testing not relevant Density (g/cm ³) 0.87 Kinematic viscosity >20,5 mm ² /s Particle characteristics Does not apply to liq base changes Melting point/Freezing p Testing not relevant Softening point/range (M	uids. point (°C) or not possible due to the waxes and pastes) (°C)			
pH Testing not relevant Density (g/cm ³) 0.87 Kinematic viscosity >20,5 mm ² /s Particle characteristics Does not apply to liq hase changes Melting point/Freezing p Testing not relevant Softening point/range (v Does not apply to liq Boiling point (°C) Testing not relevant	uids. point (°C) or not possible due to the waxes and pastes) (°C)	e nature of the product.		
pH Testing not relevant Density (g/cm ³) 0.87 Kinematic viscosity >20,5 mm ² /s Particle characteristics Does not apply to liq nase changes Melting point/Freezing p Testing not relevant Softening point/range (v Does not apply to liq Boiling point (°C) Testing not relevant Vapour pressure Testing not relevant Relative vapour density	uids. point (°C) or not possible due to the waxes and pastes) (°C) uids. or not possible due to the or not possible due to the	e nature of the product. e nature of the product. e nature of the product.		
pH Testing not relevant Density (g/cm ³) 0.87 Kinematic viscosity >20,5 mm ² /s Particle characteristics Does not apply to liq base changes Melting point/Freezing p Testing not relevant Softening point/range (v Does not apply to liq Boiling point (°C) Testing not relevant Vapour pressure Testing not relevant Relative vapour density Testing not relevant Decomposition tempera	uids. point (°C) or not possible due to the waxes and pastes) (°C) uids. or not possible due to the or not possible due to the or not possible due to the	e nature of the product. e nature of the product. e nature of the product. e nature of the product.		



Testing not relevant or not possible due to the nature of the product. Auto-ignition temperature (°C) Testing not relevant or not possible due to the nature of the product. Lower and upper explosion limit (% v/v) 0.6 - 7

Solubility

Solubility in water

Completely soluble

n-octanol/water coefficient (LogKow)

Testing not relevant or not possible due to the nature of the product.

Solubility in fat (g/L)

Testing not relevant or not possible due to the nature of the product.

9.2. Other information

VOC (g/L)

566

Other physical and chemical parameters

No data available.

Oxidizing properties

Testing not relevant or not possible due to the nature of the product.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Do not expose to any forms of heat (e.g. solar radiation). May lead to excess pressure.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Product/substance Species: Route of exposure: Test: Result:	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics Rat Oral LD50 5000 mg/Kg ·
Product/substance	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics
Species:	Rat
Route of exposure:	Dermal
Test:	LD50
Result:	2000 mg/Kg ·
Product/substance	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50
Result:	5000 mg/Kg ·
Product/substance	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics
Species:	Rabbit
Route of exposure:	Dermal



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

5 5	
Test:	
Result:	5000 mg/Kg ·
Product/substance	3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate
Species:	Rat
Route of exposure: Test:	Oral LD50
Result:	300-500 mg/kg ·
Product/substance Species:	3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate Rat
Route of exposure:	Inhalation
Test:	LC50
Result:	6,89 mg/l (4 h) ·
Product/substance	3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate
Species:	Rabbit
Route of exposure:	Dermal
Test: Result:	LD50 > 2000 mg/kg ·
Product/substance	3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate
Species: Route of exposure:	Rat Oral
Test:	LC50
Result:	670 mg/m³ (4 h, dust)
Product/substance	bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	2615 mg/l ·
Skin corrosion/irritation	the electrication exiteria are not mat
Serious eye damage/irri	ata, the classification criteria are not met. tation
	ata, the classification criteria are not met.
Respiratory sensitisation	
Skin sensitisation	ata, the classification criteria are not met.
	substances that may trigger an allergic reaction in already sensitized persons.
Germ cell mutagenicity	and the structure of the second second second
Carcinogenicity	ata, the classification criteria are not met.
	ata, the classification criteria are not met.
Reproductive toxicity	the classification criteria are not mat
STOT-single exposure	ata, the classification criteria are not met.
Based on available da	ata, the classification criteria are not met.
STOT-repeated exposure	
Based on available da Aspiration hazard	ata, the classification criteria are not met.
	ata, the classification criteria are not met.
11.2. Information on oth	
Long term effects	
None known.	
Endocrine disrupting pro	
	does not contain any substances known to have hormone-disrupting properties in relation to
health.	
Other information	
None known.	



SECTION 12: Ecological information

	~			÷.,
1	2.1	.	Toxic	:Ity

12.1. Toxicity Product/substance Species: Duration: Test: Result:	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics Fish 96 hours - >1000 mg/l ·
Product/substance	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics
Species:	Algae
Duration:	No data available.
Test:	-
Result:	>1000 mg/l ·
Product/substance	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics
Species:	Daphnia
Duration:	24 hours
Test:	-
Result:	>1000 mg/l ·
Product/substance	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	1000 mg/l ·
Product/substance	3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	0,049 mg/l ·
Product/substance	3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate
Species:	Daphnia
Duration:	48 hours
Test:	EC50
Result:	0,160 mg/l ·
Product/substance	3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate
Species:	Algae
Duration:	72 hours
Test:	IC50
Result:	0,022 mg/l ·
Product/substance	3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate
Species:	Daphnia
Duration:	21 days
Test:	NOEC
Result:	1,3 mg/l ·
Product/substance	3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate
Species:	Fish
Duration:	21 days
Test:	NOEC
Result:	0,01 mg/l ·
Product/substance	3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate
Species:	Daphnia
Duration:	21 days
Test:	EC50
Result:	0,05 mg/l ·



3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate Fish 35 d. NOEC 0,0084 mg/l ·
3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate Algae 72 hours NOEC 0,0046 mg/l ·
with long lasting effects. radability Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics Readily biodegradable
3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate Readily biodegradable
bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate 38% efter 28 dage -
OECD 301 E
rential Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics 112 -
3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate 2,8100 No potential for bioaccumulation
bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate 0,3700 No potential for bioaccumulation
PvB assessment loes not contain any substances known to fulfil the criteria for PBT and vPvB classification. g properties loes not contain any substances considered to have endocrine-disrupting properties in relation ts substances that are toxic to the environment. May result in adverse effects to aquatic substances, which may cause adverse long-term effects to the aquatic environment.
nsiderations
ethods he regulations on hazardous waste. (*) ntainer to an approved waste disposal plant. n (EU) No 1357/2014 of 18 December 2014 on waste.



Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / II	14.2 O UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	-	-	-	-	-	-
MDG	-	-	-	-	-	-
ATA	-	-	-	-	-	-
14.6. Spe Not ap 14.7. Ma No da SECTION 15.1. Saft Restriction Dema No SEVES No Produ 410 Additi Co Source Restriction Co Source Restriction Co	mental al inforr angerou ecial pre- oplicabl ritime t ta avail N 15: Re ety, hea ctions fo special nds for special nds for specifi O - Cate ot applic ot regis 64804 onal inf de num es gulatior aking av ecutive rtain pa mmissio oejdstils	mation us goods according to ADR, IAT ecautions for user e. ransport in bulk according to IN able. egulatory information alth and environmental regulation or application l. specific education c requirements. egories / dangerous substances able. tration number formation uber (1993): 2-1.	MO instruments ons/legislation specific for the su pean Parliament and of the Coun of biocidal products. r 2015 on the marketing and labe oducts for car repair painting. 14 of 18 December 2014 on waste af 13. maj 1993 om fastsættelse a	icil of 22 May 2012 eling of volatile or e. if kodenumre mee	2 conceri rganic co d senere	mpounds in ændringer.

Full text of H-phrases as mentioned in section 3

EUH066, Repeated exposure may cause skin dryness or cracking.

- H302, Harmful if swallowed.
- H304, May be fatal if swallowed and enters airways.
- H317, May cause an allergic skin reaction.
- H318, Causes serious eye damage.
- H331, Toxic if inhaled.
- H372, Causes damage to organs through prolonged or repeated exposure.
- H400, Very toxic to aquatic life.



H410, Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

▼ The safety data sheet is validated by

MIJ Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: DK-en