

SAFETY DATA SHEET

710 Alkydgrunder Vandig

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

710 Alkydgrunder Vandig

Product no.

710000

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Alkydgrunder vandbaseret

Uses advised against

No special

1.3. Details of the supplier of the safety data sheet

Company and address

Beck & Jørgensen A/S

Rosenkaeret 25-29

DK-2860 Søborg

Denmark

Tel: +45 39 53 03 11

Contact person

Mikael Jensen

E-mail

miljo@bj.dk

Revision

24-02-2022

SDS Version

1.0

1.4. Emergency telephone number

Contact the poison hotline: +45 82 12 12 12 (24 hour service)

See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP)

2.2. Label elements

Hazard pictogram(s)

Not applicable

Signal word

Not applicable

Hazard statement(s)

Not applicable

Safety statement(s)

General

Prevention

Response



Storage

Disposal

Hazardous substances

No special

2.3. Other hazards

Additional labelling

EUH208, Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

EUH210, Safety data sheet available on request.

The product contains a biocidal product.

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

VOC

VOC content: 40 - 50 g/L

MAXIMUM VOC CONTENT (Phase II, category A/e (WB): 130 g/L)

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
1-butoxypropan-2-ol	CAS No.: 5131-66-8 EC No.: 225-878-4 REACH: 01-2119475527-28 Index No.: 603-052-00-8	3-5%	Skin Irrit. 2, H315 Eye Irrit. 2, H319	
naphtha (råolie), hydrogenbehandlet tung	CAS No.: 64742-48-9 EC No.: 918-481-9 REACH: 01-21194557273-39 Index No.:	<1%	Asp. Tox. 1, H304 EUH066	
Manganese - amine complex	CAS No.: 1381939-25-8 EC No.: REACH: 01-2119919049-35- 0000 Index No.:	<0.05%		
bronopol	CAS No.: 52-51-7 EC No.: 200-143-0 REACH: Index No.: 603-085-00-8	<0.05%	Acute Tox. 4, H302 Acute Tox. 4, H312 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 2, H411 STOT SE 3, H335	

710 Alkydgrunder Vandig Page 2 of 15



reaction mass of 5-chloro-2-methyl-2H-isothiazol-3one and 2-methyl-2Hisothiazol-3-one (3:1)

CAS No.: 55965-84-9

Index No.: 613-167-00-5

EC No .:

REACH:

<0.0015%

Acute Tox. 3, H301 Acute Tox. 2, H310

Skin Corr. 1C, H314 (SCL: 0.60 %) Skin Sens. 1A, H317 (SCL: 0.0015 %) Eye Dam. 1, H318 (SCL: 0.60 %)

Acute Tox. 2, H330

Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)

EUH071

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact

Upon irritation of the eye: Remove contact lenses and open eyes widely. Flush eyes with water or saline water(20-30°C) for at least 5 minutes. Seek medical assistance and continue flushing during transport.

Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

Burns

Not applicable

4.2. Most important symptoms and effects, both acute and delayed

This product contains substances that may trigger an allergic reaction to predisposed persons.

4.3. Indication of any immediate medical attention and special treatment needed

No special

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage



system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2).

5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

6.3. Methods and material for containment and cleaning up

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 on "Disposal considerations" in regard of handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

No specific requirements

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

1-butoxypropan-2-ol

Long term exposure limit (8 hours) (ppm): 100

Annotations:

T = The substance has a tentative (temporary) limit.

2-ethylhexan-1-ol

Long term exposure limit (8 hours) (mg/m³): 5,4

Long term exposure limit (8 hours) (ppm): 1

Annotations:

E = Substance has an EC limit

Statutory order 1426 on exposure limits for substances and mixtures (28/06/2021)

DNEL



Product/substance 1-butoxypropan-2-ol

DNEL 52 mg/kg/day

Route of exposure Dermal

Duration Long term – Systemic effects - Workers

Product/substance 1-butoxypropan-2-ol

DNEL 147 mg/m³ Route of exposure Inhalation

Duration Long term – Systemic effects - Workers

Product/substance 1-butoxypropan-2-ol

DNEL 22 mg/kg/day
Route of exposure Dermal

Duration Long term – Systemic effects - General population

Product/substance 1-butoxypropan-2-ol

DNEL 43 mg/m³
Route of exposure Inhalation

Duration Long term – Systemic effects - General population

Product/substance 1-butoxypropan-2-ol

DNEL 12,5 mg/kg/day
Route of exposure Oral

Duration Long term – Systemic effects - General population

Product/substance 2-ethylhexan-1-ol

DNEL 23 mg/Kg Route of exposure Dermal

Duration Long term – Systemic effects - Workers

Product/substance 2-ethylhexan-1-ol DNEL 53,2 mg/m3

Route of exposure Inhalation

Duration Long term – Systemic effects - General population

Product/substance 2-ethylhexan-1-ol

DNEL 11,4 mg/Kg Route of exposure Dermal

Duration Long term – Systemic effects - General population

Product/substance 2-ethylhexan-1-ol DNEL 2,3 mg/m3

Route of exposure Inhalation

Duration Long term – Systemic effects - General population

Product/substance 2-ethylhexan-1-ol

DNEL 1,1 mg/Kg Route of exposure Oral

Duration Long term – Systemic effects - General population

PNEC

710 Alkydgrunder Vandig Page 5 of 15



Product/substance

1-butoxypropan-2-ol

PNEC

0,525 mg/l

Route of exposure

Freshwater

Duration of Exposure

Product/substance

1-butoxypropan-2-ol

PNEC Route of exposure 0,0525 mg/l Marine water

Duration of Exposure

Product/substance

1-butoxypropan-2-ol

PNFC

5,25 mg/l

Route of exposure

Intermittent release

Duration of Exposure

Product/substance

1-butoxypropan-2-ol

PNEC

10 mg/l

Route of exposure

Sewage treatment plant

Duration of Exposure

Product/substance

2-ethylhexan-1-ol

PNEC

0,017 mg/l Freshwater

Route of exposure **Duration of Exposure**

Product/substance

PNFC

2-ethylhexan-1-ol 0,0017 mg/l

Route of exposure

Marine water

Duration of Exposure

Product/substance

PNEC

2-ethylhexan-1-ol 0,047 mg/l

Route of exposure **Duration of Exposure** Soil

Product/substance

2-ethylhexan-1-ol

PNEC

10 mg/l

Route of exposure

Sewage treatment plant

Duration of Exposure

Product/substance

2-ethylhexan-1-ol 0,028 mg/Kg

PNEC

Route of exposure **Duration of Exposure** Marine water sediment

Product/substance

2-ethylhexan-1-ol

PNEC

0,28 mg/Kg

Route of exposure

Freshwater sediment

Duration of Exposure

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

710 Alkydgrunder Vandig Page 6 of 15



General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and -showers are clearly marked.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements

Individual protection measures, such as personal protective equipment

Generally

Only CE-marked personal protection equipment should be used.

Use only CE marked protective equipment.

Respiratory Equipment

Work situation	Туре	Class	Colour	Standards	
Spray Application	Combination filter A2P3	Class 2/3	Brown/White	EN14387	

Skin protection

Recommended	Type/Category	Standards	
Dedicated work clothing should be worn. Wear a protective suit in the event of prolonged periods of work with the product.	-	-	R

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	0.4	> 60	EN374-2, EN374-3, EN388	

Eye protection

No specific requirements

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Testing not relevant or not possible due to nature of the product.



Odour / Odour threshold

Testing not relevant or not possible due to nature of the product.

рΗ

8-9

Density (g/cm³)

0.97

Kinematic viscosity

Testing not relevant or not possible due to nature of the product.

Particle characteristics

Does not apply to liquids.

Phase changes

Melting point/Freezing point (°C)

Testing not relevant or not possible due to nature of the product.

Softening point/range (waxes and pastes) (°C)

Does not apply to liquids.

Boiling point (°C)

100

Vapour pressure

Testing not relevant or not possible due to nature of the product.

Relative vapour density

Testing not relevant or not possible due to nature of the product.

Decomposition temperature (°C)

Testing not relevant or not possible due to nature of the product.

Data on fire and explosion hazards

Flash point (°C)

Testing not relevant or not possible due to nature of the product.

Ignition (°C)

Testing not relevant or not possible due to nature of the product.

Auto flammability (°C)

Testing not relevant or not possible due to nature of the product.

Lower and upper explosion limit (% v/v)

Testing not relevant or not possible due to nature of the product.

Solubility

Solubility in water

Soluble

n-octanol/water coefficient

Testing not relevant or not possible due to nature of the product.

Solubility in fat (g/L)

Testing not relevant or not possible due to nature of the product.

9.2. Other information

VOC (g/L)

40 - 50

Other physical and chemical parameters

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

No special

10.4. Conditions to avoid

No special





10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity

Product/substance

1-butoxypropan-2-ol

Test method

Species Rat
Route of exposure Oral
Test LD50

Result 3300 mg/kg ·

Other information

Product/substance

1-butoxypropan-2-ol

Test method

Species Rat

Route of exposure Dermal

Test LD50

Result 2000 mg/kg ·

Other information

Product/substance

bronopol

Test method

Species Rat
Route of exposure Oral
Test LD50
Result 307 mg/kg ·

Other information

Product/substance

bronopol

Test method

Species Rat
Route of exposure Dermal
Test LD50

Result > 2000 mg/kg ·

Other information

Product/substance

bronopol

bronopol

Test method

Species Rabbit
Route of exposure Dermal
Test LD50
Result 1600 mg/Kg ·

Result

Other information

Product/substance

Test method

Species Rat

710 Alkydgrunder Vandig Page 9 of 15



Route of exposure Inhalation LC50 Test

800 mg/m 3 4 h dust/aerosol \cdot Result

Other information

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

This product contains substances that may trigger an allergic reaction to predisposed persons.

Germ cell mutagenicity

Product/substance bronopol **OECD 473** Test method

Species

No adverse effect observed Conclusion

Other information

Carcinogenicity

Product/substance bronopol

Test method

Species

Route of exposure Target organ Duration Test

Result

No adverse effect observed Conclusion

Other information

Reproductive toxicity

Product/substance bronopol

Test method **Species** Duration Test

Result

No adverse effect observed Conclusion

Other information

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

No special

Endocrine disrupting properties



No special

Other information

No special

SECTION 12: Ecological information

12.1. Toxicity

Product/substance

1-butoxypropan-2-ol

Test method

Species Daphnia

Compartment

 $\begin{array}{ll} \text{Duration} & 48 \text{ hours} \\ \text{Test} & \text{EC50} \\ \text{Result} & > 1000 \text{ mg/l} \cdot \end{array}$

Other information

Product/substance

1-butoxypropan-2-ol

Test method

Species Algae

Compartment

Duration 96 hours Test EC50

Result $> 1000 \text{ mg/l} \cdot$

Other information

Product/substance

1-butoxypropan-2-ol

Algae

Test method

Species

Compartment

 $\begin{array}{ll} \text{Duration} & 96 \text{ hours} \\ \text{Test} & \text{NOEC} \\ \text{Result} & 560 \text{ mg/l} \cdot \end{array}$

Other information

Product/substance bronopol

Test method

Species Fish

Compartment

Duration 96 hours
Test LC50
Result 3 mg/l·

Other information

Product/substance bronopol

Test method

Species Daphnia

Compartment

Duration 48 hours
Test EC50
Result $1,04 \text{ mg/l} \cdot$

Other information

710 Alkydgrunder Vandig Page 11 of 15



Product/substance

bronopol

Test method

Species Algae

Compartment

 $\begin{array}{ll} \text{Duration} & 72 \text{ hours} \\ \text{Test} & \text{EC50} \\ \text{Result} & 0,068 \text{ mg/l} \cdot \end{array}$

Other information

Product/substance

bronopol

Test method

Species Daphnia

Compartment

 $\begin{array}{ll} \text{Duration} & 21 \text{ days} \\ \text{Test} & \text{NOEC} \\ \text{Result} & 0,06 \text{ mg/l} \cdot \end{array}$

Other information

Product/substance

bronopol

Test method

Species Fish

Compartment

Duration 28 days
Test NOEC
Result 2,61 mg/l·

Other information

Product/substance

bronopol

Test method

Species Algae

Compartment

 $\begin{array}{lll} \text{Duration} & 72 \text{ hours} \\ \text{Test} & \text{NOEC} \\ \text{Result} & 0,0025 \text{ mg/l} \cdot \end{array}$

Other information

12.2. Persistence and degradability

Product/substance

1-butoxypropan-2-ol

Yes

Biodegradable

Test method

Result

12.3. Bioaccumulative potential

Product/substance

1-butoxypropan-2-ol

Test method

Potential No

bioaccumulation

LogPow 1,1500

BCF No data available

Other information

710 Alkydgrunder Vandig Page 12 of 15



Product/substance bronopol

Test method

Potential No data available

bioaccumulation

LogPow 0,1700 BCF 3,6

Other information

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties

No special

12.7. Other adverse effects

No special

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EWC code

08 01 11* Waste paint and varnish containing organic solvents or other dangerous substances

Specific labelling

Not applicable

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

14.1. - 14.4.

Not dangerous goods according to ADR, IATA and IMDG.

ADR/RID

Not applicable

IMDG

Not applicable

MARINE POLLUTANT

No

IATA

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Restrictions for application



People under the age of 18 shall not be exposed to this product.

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

Demands for specific education

No specific requirements

SEVESO - Categories / dangerous substances

Not applicable

Product registration number

1928071

Additional information

Code number (1993): 0-1.

Sources

The Danish Working Environment Authority's executive order no. 239 of 6 April 2005 on young people's work.

Based on Council Directive 94/33 / EC of 22 June 1994 on the protection of young people at work.

Pregnant workers and workers who are breastfeeding (AT Guide A.1.8-6, amended 2020)

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products.

Executive Order no. 1369 of 25 November 2015 on the marketing and labeling of volatile organic compounds in certain paints and varnishes as well as products for car repair painting.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

Arbejdstilsynets bekendtgørelse nr. 301 af 13. maj 1993 om fastsættelse af kodenumre med senere ændringer.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

EUH066, Repeated exposure may cause skin dryness or cracking.

EUH071, Corrosive to the respiratory tract.

H301, Toxic if swallowed.

H302, Harmful if swallowed.

H304, May be fatal if swallowed and enters airways.

H310, Fatal in contact with skin.

H312, Harmful in contact with skin.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H330, Fatal if inhaled.

H335, May cause respiratory irritation.

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

H411, Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne



CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit.

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVCB = Complex hydrocarbon substance

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

Not applicable

The safety data sheet is validated by

mi

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: DK-en