

SAFETY DATA SHEET

773-xxx Mosaik-Finish

SECTION 1: Identification of the substance/mixture and of the company/undertaking

```
1.1. Product identifier
   Trade name
      773-xxx Mosaik-Finish
   Product no.
      773000
1.2. Relevant identified uses of the substance or mixture and uses advised against
   Relevant identified uses of the substance or mixture
      Mosaik-Finish
   Uses advised against
      No special
1.3. Details of the supplier of the safety data sheet
   Company and address
      Beck & Jørgensen A/S
      Rosenkaeret 25-29
      DK-2860 Søborg
      Denmark
      Tel: +45 39 53 03 11
   Contact person
      Mikael Jensen
  E-mail
      miljo@bj.dk
  Revision
      8/10/2022
  SDS Version
      1.0
1.4. Emergency telephone number
      Contact the poison hotline: +45 82 12 12 12 (24 hour service)
      See section 4 "First aid measures".
SECTION 2: Hazards identification
2.1. Classification of the substance or mixture
      Not classified according to Regulation (EC) No. 1272/2008 (CLP)
2.2. Label elements
  Hazard pictogram(s)
      Not applicable
  Signal word
      Not applicable
  Hazard statement(s)
      Not applicable
```

Safety statement(s) General

Prevention

Response



-	
Storage	
-	

Disposal

Hazardous substances

No special

2.3. Other hazards

Additional labelling

EUH208, Contains 1,2-benzisothiazol-3(2H)-on. May produce an allergic reaction. EUH210, Safety data sheet available on request.

The product contains a biocidal product.

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

VOC

VOC content: 4 g/L MAXIMUM VOC CONTENT (Phase II, category A/l (WB): 200 g/L)

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
2-phenoxyethanol	CAS No.: 122-99-6 EC No.: 204-589-7	<1%	Acute Tox. 4, H302 Eye Irrit. 2, H319	
	REACH:			
	Index No.: 603-098-00-9			
1,2-benzisothiazol-3(2H)- on	CAS No.: 2634-33-5	<0.05%	Acute Tox. 4, H302 Skin Irrit. 2, H315	
	EC No.: 220-120-9		Skin Sens. 1, H317 (SCL: 0.036 %)	
	REACH:		Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1)	
	Index No.: 613-088-00-6		Aquatic Chronic 2, H411	
		<0.01%	Skin Corr. 1B, H314	
2-n-butyl- benzo[d]isothiazol-3-one	CAS No.: 4299-07-4	<0.0170	Skin Sens. 1, H317	
	EC No.: 420-590-7		Eye Dam. 1, H318	
	REACH:		Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)	
	Index No.: 606-079-00-3			
reaction mass of 5-chloro-	CAS No.: 55965-84-9	<0.0001%	EUH071	
2-methyl-2H-isothiazol-3- one and 2-methyl-2H- isothiazol-3-one (3:1)			Acute Tox. 3, H301	
	EC No.:		Acute Tox. 2, H310 Skin Corr. 1C, H314 (SCL: 0.60 %)	
	REACH:		Skin Sens. 1A, H317 (SCL: 0.0015 %))
	Index No.: 613-167-00-5		Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=10)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.



Other information

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact

Upon irritation of the eye: Remove contact lenses and open eyes widely. Flush eyes with water or saline water(20-30°C) for at least 5 minutes. Seek medical assistance and continue flushing during transport.

Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

Burns

Not applicable

4.2. Most important symptoms and effects, both acute and delayed

This product contains substances that may trigger an allergic reaction to predisposed persons.

4.3. Indication of any immediate medical attention and special treatment needed

No special

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

6.3. Methods and material for containment and cleaning up

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and



place in container for disposal, according to local regulations.

To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 on "Disposal considerations" in regard of handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

No specific requirements

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

potassium hydroxide Long term exposure limit (8 hours) (mg/m³): 2 Annotations: L = The limit is a ceiling value that at no time may be exceeded.

Statutory order 1054 on exposure limits for substances and mixtures (28/06/2022)

DNEL

potassium hydroxide

Duration	Route of exposure	DNEL
Long term – Local effects - General population	Inhalation	1 mg/m3
Long term – Local effects - Workers	Inhalation	1 mg/m3

PNEC

No data available

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis. General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and -showers are clearly marked.



Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements

Individual protection measures, such as personal protective equipment

Generally

Only CE-marked personal protection equipment should be used.

Use only CE marked protective equipment.

Respiratory Equipment

Work situation	Туре	Class	Colour	Standards	
Non industrial spraying	Combination filter A2P3	Class 2/3	Brown/White	EN14387	

Skin protection

Recommended	Type/Category	Standards	
Dedicated work clothing should be worn. Wear a protective suit in the event of prolonged periods of work with the product.	-	-	R

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Latex	0.4	-	EN374-2, EN388	

Eye protection

No specific requirements

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Physical state Liquid Colour Colourless Odour / Odour threshold Testing not relevant or not possible due to nature of the product. pН 8 - 9 Density (g/cm³) 1,05 **Kinematic viscosity** Testing not relevant or not possible due to nature of the product. Particle characteristics Does not apply to liquids. Phase changes Melting point/Freezing point (°C)



E V F Data F I L Solu S Solu S Solu S Solu S V V	Testing not relevant or not possible due to nature of the product. oftening point/range (waxes and pastes) (°C) Does not apply to liquids. oiling point (°C) 100 apour pressure Testing not relevant or not possible due to nature of the product. elative vapour density Testing not relevant or not possible due to nature of the product. eccomposition temperature (°C) Testing not relevant or not possible due to nature of the product. on fire and explosion hazards lash point (°C) Testing not relevant or not possible due to nature of the product. on fire and explosion hazards lash point (°C) Testing not relevant or not possible due to nature of the product. uto flammability (°C) Testing not relevant or not possible due to nature of the product. ower and upper explosion limit (% v/v) Testing not relevant or not possible due to nature of the product. bility olubility in water Completely soluble -octanol/water coefficient Testing not relevant or not possible due to nature of the product. olubility in fat (g/L) Testing not relevant or not possible due to nature of the product. olubility in fat (g/L) Testing not relevant or not possible due to nature of the product. Other information OC (g/L) 4 ther physical and chemical parameters
SEC	ION 10: Stability and reactivity
10.2 10.3 10.4 10.5	Reactivity No data available Chemical stability The product is stable under the conditions, noted in section 7 "Handling and storage". Possibility of hazardous reactions No special Conditions to avoid No special Incompatible materials Strong acids, strong bases, strong oxidizing agents, and strong reducing agents. Hazardous decomposition products The product is not degraded when used as specified in section 1.
SEC	ION 11: Toxicological information
11 1	Information on bazard classes as defined in Regulation (EC) No 1272/2008

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product/substance potassium hydroxide



Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	365 mg/kg ·
Other information	JUS mg/kg
Other information	
Product/substance	1,2-benzisothiazol-3(2H)-on
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	1193 mg/Kg ·
Other information	r iss nightg
Product/substance	1,2-benzisothiazol-3(2H)-on
Test method	
Species	Rat
Route of exposure	Dermal
Test	LD50
Result	4115 mg/Kg ·
Other information	
Product/substance	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	49,6 - 75 mg/Kg ·
Other information	
Product/substance	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
Test method	
Species	Rat
Route of exposure	Inhalation
Test	LC50
Result	0,33 mg/l, 4 h, aerosol ·
Other information	
Product/substance	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
Test method	
Species	Rabbit
Route of exposure	Dermal
Test	LD50
Result	200 - 1000 mg/Kg ·
Other information	
Skin corrosion/irritation	1
Product/substance	potassium hydroxide
Test method	
Species	

Species



Duration Result Other information	Adverse effect observed (Corrosive)
Product/substance Test method	1,2-benzisothiazol-3(2H)-on OECD 404
Species	Rabbit
Duration Result Other information	Adverse effect observed (Irritating)
Serious eye damage/irrita	ation
Product/substance Test method Species Duration	potassium hydroxide
Result Other information	Adverse effect observed (Corrosive)
Product/substance Test method	1,2-benzisothiazol-3(2H)-on no guideline followed
Species Duration Result	Adverse effect observed (Causes serious eye damage)
Other information	
Respiratory sensitisation Based on available da Skin sensitisation	ta, the classification criteria are not met.
Product/substance Test method	1,2-benzisothiazol-3(2H)-on
Species	Human
Result Other information	Adverse effect observed (sensitising) Can course allergic reaction at skin contact
Other mormation	
Product/substance Test method	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
Species	Human
Result	Adverse effect observed (sensitising)
Other information	Can course allergic reaction at skin contact
Germ cell mutagenicity	
Product/substance Test method Species	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
Conclusion Other information	No adverse effect observed

Carcinogenicity

Product/substance reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)



Test method	
Species	
Route of exposure	
Target organ	
Duration	
Test	
Result	
Conclusion	No adverse effect observed
Other information	

Reproductive toxicity

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects No special Endocrine disrupting properties No special Other information No special

SECTION 12: Ecological information

12.1. Toxicity

Product/substance Test method	potassium hydroxide
Species	Fish
Compartment	
Duration	96 hours
Test	LC50
Result	80 mg/l ·
Other information	
Product/substance Test method	potassium hydroxide
Species	Crustacean
Compartment	
Duration	No data available.



Test	EC50
Result	30 - 1000 mg/l ·
Other information	
Other information	
Product/substance	1,2-benzisothiazol-3(2H)-on
Test method	
Species	Fish
Compartment	
	06 haven
Duration	96 hours
Test	LC50
Result	1,3 mg/l ·
Other information	
Product/substance	1,2-benzisothiazol-3(2H)-on
	1,2-DEHZISUUIId20F3(2F)-011
Test method	
Species	Daphnia
Compartment	
Duration	96 hours
Test	EC50
Result	1,5 mg/l ·
	ייעריו ביי
Other information	
Product/substance	1,2-benzisothiazol-3(2H)-on
Test method	
Species	Algae
Compartment	
Duration	48 hours
Test	EC50
Result	0,055 mg/l ·
Other information	
Product/substance	1,2-benzisothiazol-3(2H)-on
Test method	
Species	Daphnia
Compartment	
Duration	48 hours
Test	EC50
Result	2,94 mg/l ·
Other information	
Product/substance	1,2-benzisothiazol-3(2H)-on
Test method	
Species	Algae
Compartment	
Duration	24 hours
Test	EC50
Result	0,11 mg/l ·
Other information	
Product/substance	1,2-benzisothiazol-3(2H)-on
Test method	
Species	Fish



Compartment	
Duration	No data available.
Test	NOEC
Result	0,21 mg/l ·
Other information	
Product/substance Test method	1,2-benzisothiazol-3(2H)-on
Species	Daphnia
Compartment	Daprind
Duration	21 days
Test	NOEC
Result	1,2 mg/l ·
Other information	1,2 mg/i
Product/substance	2-n-butyl-benzo[d]isothiazol-3-one
Test method	
Species	Fish
Compartment	
Duration	96 hours
Test	LC50
Result	0,15 mg/l ·
Other information	
Product/substance	2-n-butyl-benzo[d]isothiazol-3-one
Test method	
Species	Daphnia
Compartment	
Duration	48 hours
Test	EC50
Result	0,093 mg/l ·
Other information	
Product/substance Test method	2-n-butyl-benzo[d]isothiazol-3-one
Species	Algae
Compartment	
Duration	72 hours
Test	ErC50
Result	0,45 mg/l ·
Other information	
Droduct/substance	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
Product/substance Test method	יבמכנוסה ווומסט סד שרווסו סיביוופנו איבריוסטנו וומצטויסיטוופ מווע ב-ווופנו איבריוסטנו וומצטו-ס-סוופ (3.1)
	Fish
Species Compartment	
Compartment	06 hours
Duration	96 hours
Test	LC50
Result	0,19 mg/l ·
Other information	
Product/substance	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)



T ++	
Test method	
Species	Daphnia
Compartment	
Duration	48 hours
Test	EC50
Result	0,10 mg/l ·
Other information	
Product/substance	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
Test method	
Species	Algae
Compartment	
Duration	72 hours
Test	EC50
Result	0,048 mg/l ·
Other information	0,040 mg/i
Product/substance	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
Test method	
Species	Algae
Compartment	· ···
Duration	96 hours
Test	NOEC
Result	0,032 mg/l ·
Other information	
Product/substance	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
Test method	· · · · · · · · · · · · · · · · · · ·
Species	Daphnia
Compartment	
Duration	21 days
Test	EC50
Result	> 1 mg/l ·
Other information	2 mg/i
Product/substance	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
Test method	
Species	Fish
Compartment	
Duration	96 hours
Test	LC50
Result	0,58 mg/l ·
Other information	
Product/substance	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
Test method	
Species	Fish
Compartment	
Duration	34 d.
Test	NOEC
Result	0,5 mg/l ·
Other information	



Product/substance Test method	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Algae					
Species						
Compartment Duration	48 hours					
Test	48 nours NOEC					
Result	0,00064 mg/l ·					
Other information						
Product/substance Test method	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)					
Species	Daphnia					
Compartment						
Duration	21 days					
Test	NOEC					
Result	0,004 mg/l ·					
Other information						
Product/substance	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)					
Test method						
Species	Fish					
Compartment	29 days					
Duration	28 days NOEC					
Test Result	0,098 mg/l ·					
Other information	0,090 mg/1*					
Product/substance	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)					
Test method						
Species	Algae					
Compartment						
Duration	72 hours					
Test	NOEC					
Result	0,0012 mg/l ·					
Other information						
Persistence and degr	adability					

12.2. Persistence and degradability

Product/substance	1,2-benzisothiazol-3(2H)-on
Biodegradable	Yes
Test method	
Result	

12.3. Bioaccumulative potential

Product/substance	1,2-benzisothiazol-3(2H)-on		
Test method			
Potential	No		
bioaccumulation			
LogPow	1,3000		
BCF	No data available		
Other information			



Product/substance Test method	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
Potential bioaccumulation	No
LogPow	0,4000
BCF	3,6
Other information	

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties

No special

12.7. Other adverse effects

No special

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EWC code

08 01 12 Waste paint and varnish other than those mentioned in 08 01 11

Specific labelling

Not applicable

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group

** Environmental hazards

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable

- 14.7. Maritime transport in bulk according to IMO instruments
 - No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Restrictions for application

No special



Demands for specific education

No specific requirements

SEVESO - Categories / dangerous substances

Not applicable

Additional information

Code number (1993): 00-1.

Sources

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products.

Executive Order no. 1369 of 25 November 2015 on the marketing and labeling of volatile organic compounds in certain paints and varnishes as well as products for car repair painting.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

Arbejdstilsynets bekendtgørelse nr. 301 af 13. maj 1993 om fastsættelse af kodenumre med senere ændringer. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on

classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

EUH071, Corrosive to the respiratory tract.

H301, Toxic if swallowed.

H302, Harmful if swallowed.

H310, Fatal in contact with skin.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H330, Fatal if inhaled.

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

H411, Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association



IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Additional information Not applicable The safety data sheet is validated by ххх

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: DK-en

Other