

SAFETY DATA SHEET

871 Super alkydmellemmaling helmat

SECTION 1: Identification of the substance/mixture and of the company/undertaking

```
1.1. Product identifier
  Trade name
      871 Super alkydmellemmaling helmat
   Product no.
      871
1.2. Relevant identified uses of the substance or mixture and uses advised against
   Relevant identified uses of the substance or mixture
      Mellemmaling til indendørs brug.
   Uses advised against
      No special
1.3. Details of the supplier of the safety data sheet
   Company and address
      Beck & Jørgensen A/S
      Rosenkaeret 25-29
      DK-2860 Søborg
      Denmark
      Tel: +45 39 53 03 11
   Contact person
      Mikael Jensen
   E-mail
      miljo@bj.dk
  Revision
      8/9/2022
  SDS Version
      1.0
1.4. Emergency telephone number
      Contact the poison hotline: +45 82 12 12 12 (24 hour service)
      See section 4 "First aid measures".
SECTION 2: Hazards identification
2.1. Classification of the substance or mixture
      Not classified according to Regulation (EC) No. 1272/2008 (CLP)
2.2. Label elements
  Hazard pictogram(s)
      Not applicable
  Signal word
      Not applicable
  Hazard statement(s)
```

```
Not applicable
Safety statement(s)
   General
   Prevention
   Response
```



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Storage
- Disposal
-
Hazardous substances
No special
2.3. Other hazards
Additional labelling
EUH210, Safety data sheet available on request.
EUH211, Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
Additional warnings
This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.
VOC
VOC content: 292 g/L

MAXIMUM VOC CONTENT (Phase II, category A/i (SB): 500 g/L)

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Hydrocarbons, C10-C13, n-alkanes, isoalkanes,	CAS No.:	15-25%	Asp. Tox. 1, H304	
cyclics, <2% aromatics	EC No.: 918-481-9			
	REACH: 01-2119457273-39			
	Index No.:			
alkaner, C9-12-iso	CAS No.: 90622-57-4	5-10%	Flam. Liq. 3, H226 Asp. Tox. 1, H304	
	EC No.: 292-459-0		Aquatic Chronic 4, H413	
	REACH: 01-2119472146-39			
	Index No.:			

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available. Other information

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

Eye contact



Upon irritation of the eye: Remove contact lenses and open eyes widely. Flush eyes with water or saline water(20-30°C) for at least 5 minutes. Seek medical assistance and continue flushing during transport.

Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

Burns

Not applicable

4.2. Most important symptoms and effects, both acute and delayed

No special

4.3. Indication of any immediate medical attention and special treatment needed No special

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures No specific requirements

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

6.3. Methods and material for containment and cleaning up

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 on "Disposal considerations" in regard of handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Recommended storage material

Always store in containers of the same material as the original container.

Fire class

In accordance with the statutory order on flammable liquids the product is classified as a liquid of class III, subclass 1 (1 storage unit = 50 liter)



Storage temperature

No specific requirements

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

DNEL

No data available

PNEC

No data available

8.2. Exposure controls

Control is unnecessary if the product is used as intended.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements

Individual protection measures, such as personal protective equipment

Generally

Only CE-marked personal protection equipment should be used.

Use only CE marked protective equipment.

Respiratory Equipment

Work situation	Туре	Class	Colour	Standards	
	A	Class 2 (medium capacity)	Brown	EN14387	
Non industrial spraying	Combination filter A2P3	Class 2/3	Brown/White	EN14387	

Skin protection

Recommended	Type/Category	Standards	
Dedicated work clothing should be worn. Wear a protective suit in the event of prolonged periods of work with the product.	-	-	R



Hand protection				
Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Butyl	0,3	> 30	EN374-2, EN374-3, EN388	
Eye protection No specific require	ments			
ECTION 9: Physical and	chemical properties			
1. Information on basic Physical state	physical and chemical p	roperties		
Liquid				
Colour				
-	nt or not possible due to	nature of the product.		
Odour / Odour thresh				
-	nt or not possible due to	nature of the product.		
pH Testing not relevan	nt or not possible due to	nature of the product		
Density (g/cm ³) 1.55		flature of the product.		
Kinematic viscosity				
1600-2000 mPa.s				
Particle characteristics	5			
Does not apply to l	iquids.			
hase changes				
Melting point/Freezing		and the second second second		
-	nt or not possible due to e (waxes and pastes) (°C)	•		
Does not apply to l				
Boiling point (°C)				
	nt or not possible due to	nature of the product.		
Vapour pressure				
-	nt or not possible due to	nature of the product.		
Relative vapour densit	-			
-	nt or not possible due to	nature of the product.		
Decomposition tempe	nt or not possible due to	nature of the product		
ata on fire and explosio	-	nature of the product.		
Flash point (°C)				
63				
Ignition (°C)				
_	nt or not possible due to	nature of the product.		
Auto flammability (°C)		noturo of the survey		
Lower and upper expl	nt or not possible due to	nature of the product.		
	nt or not possible due to	nature of the product		
olubility				
Solubility in water				
-	nt or not possible due to	nature of the product.		
n-octanol/water coeffi	icient			
	nt or not possible due to			



	Product/substance Test method Species Route of exposure Test Result Other information	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics Rat Oral LD50 5000 mg/Kg ·	
	Product/substance Test method Species Route of exposure Test	Rat Oral LD50	
	Product/substance Test method Species Route of exposure	Rat Oral	
	Product/substance Test method Species	Rat	
	Product/substance Test method		
	Product/substance	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	
	cute toxicity		
		d classes as defined in Regulation (EC) No 1272/2008	
SECT	ION 11: Toxicological i	information	
10.2. 10.3. 10.4. 10.5.	Possibility of hazardo No special Conditions to avoid Do not expose to any Incompatible materia Strong acids, strong Hazardous decompos	y forms of heat (e.g. solar radiation). May lead to excess pressure. Ils bases, strong oxidizing agents, and strong reducing agents.	
SECT	ION 10: Stability and r	reactivity	
0	Dther information DC (g/L) 292 ther physical and cher No data available	or not possible due to nature of the product. mical parameters	
9.2. 0	blubility in fat (g/L)		

Product/substance Test method	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics
Species	Rat
Route of exposure	Dermal
Test	LD50
Result	2000 mg/Kg ·
Other information	
Product/substance Test method	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics
Species	Rat
Route of exposure	Inhalation
Test	LC50
Result	5000 mg/Kg ·
Other information	
Product/substance	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics



	Test method	
	Species	Rabbit
	Route of exposure	Dermal
	Test	LD50
	Result	5000 mg/Kg ·
	Other information	
	Skin corrosion/irritation	
	Based on available d	ata, the classification criteria are not met.
	Serious eye damage/irri	tation
		ata, the classification criteria are not met.
	Respiratory sensitisation	1
	Based on available da	ata, the classification criteria are not met.
	Skin sensitisation	
	Based on available da	ata, the classification criteria are not met.
	Germ cell mutagenicity	
		ata, the classification criteria are not met.
	Carcinogenicity	
		ata, the classification criteria are not met.
	Reproductive toxicity	
		ata, the classification criteria are not met.
	STOT-single exposure	
		ata, the classification criteria are not met.
	STOT-repeated exposure	
		ata, the classification criteria are not met.
	Aspiration hazard	ata, the classification criteria are not met.
11	2. Information on other	
	Long term effects	
	No special	
	Endocrine disrupting pro	operties
	No special	sperces
	Other information	
	No special	

SECTION 12: Ecological information

12.1. Toxicity

Product/substance Test method Species	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics Fish
Compartment	
Duration	96 hours
Test	
Result	>1000 mg/l ·
Other information	
Product/substance Test method	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics
Species Compartment	Algae
Duration	No data available.



Test Result Other information	- >1000 mg/l ·
Product/substance Test method	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics
Species Compartment	Daphnia
Duration	24 hours
Test	-
Result	>1000 mg/l ·
Other information	
Product/substance Test method	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics
Species	Fish
Compartment	
Duration	96 hours
Test	LC50
Result	1000 mg/l ·
Other information	

12.2. Persistence and degradability

Product/substance	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics
Biodegradable	Yes
Test method	
Result	

12.3. Bioaccumulative potential

Product/substance	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics
Test method	
Potential	No data available
bioaccumulation	
LogPow	No data available
BCF	112
Other information	

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties

No special

12.7. Other adverse effects

No special

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste. Regulation (EU) No 1357/2014 of 18 December 2014 on waste.



EWC code

08 01 11* Waste paint and varnish containing organic solvents or other dangerous substances Specific labelling

Not applicable

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group

** Environmental hazards

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable

- 14.7. Maritime transport in bulk according to IMO instruments
 - No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

No special

Demands for specific education

No specific requirements

SEVESO - Categories / dangerous substances

Not applicable

Product registration number

4164863

Additional information

Code number (1993): 2-1

Sources

Executive Order no. 1369 of 25 November 2015 on the marketing and labeling of volatile organic compounds in certain paints and varnishes as well as products for car repair painting.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

Arbejdstilsynets bekendtgørelse nr. 301 af 13. maj 1993 om fastsættelse af kodenumre med senere ændringer. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H226, Flammable liquid and vapour.

H304, May be fatal if swallowed and enters airways.



H413, May cause long lasting harmful effects to aquatic life. Abbreviations and acronyms ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS = Chemical Abstracts Service CE = Conformité Européenne CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Additional information Not applicable The safety data sheet is validated by XXX Other A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle. The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products. It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: DK-en